

Cloud Computing Applications

Maaruf Ali¹ and Mahdi H. Miraz^{1,2}

¹Department of Computer Science and Software Engineering, University of Ha'il, KSA

Maaruf@icee.org, m.miraz@uoh.edu.sa

²Department of Computing, Glyndwr University, Wrexham, Wales, UK

m.miraz@glyndwr.ac.uk

Abstract—This paper gives an overview of cloud computing applications including its particular characteristics, traits and issues.

Index Terms—Cloud Computing, Cloud Applications.

I. INTRODUCTION

Today the use of cloud computing applications is mushrooming at an ever increasing rate. But what exactly is cloud computing? “Cloud computing is a technology that allows the users to access software applications, hardware, storage, computing processes directly from the web.” [1] This is no doubt being helped by the prevalence of mobile devices such as smart phones and tablets with fast internet access using 3G and 4G communications links in the form of mobile cloud computing [2]. These devices have direct, fast and cheap links to the internet which makes it easier to upload and download programs and applications onto the internet and on online network storage services. Often this mobile link provides a superior and faster link to the internet cloud than using a fixed broadband access. This paper describes the various major applications of cloud computing along with its pertinent characteristics.

II. CLOUD COMPUTING APPLICATIONS

Cloud computing applications are intimately linked with mobility of the user, this may involve international travel. The user wants a seamless integration of services using multiple devices often from multiple locations. The user wants convenience and to carry the minimum amount of hardware. Loss of hardware storage devices may also be an issue. Thus applications which cater for these needs have a special appeal. Security applications, disaster relief, crowd computing involving social networking [2] are prime candidates for adoption of mobile cloud computing applications. Both Apple and Google provide cloud applications, such as Apple’s iCloud and Google’s mobile email service.

The adoption of cloud computing has not been as fast as mobile telephony. Khan *et al.*, [3] mentions that by 2014 there

is expected to be about 1 billion mobile cloud services subscribers, this, however, only represents 10% of mobile subscribers. The main reason for this slow adoption has been due to security concerns. Fig. 1, below illustrates how security concerns can be addressed to provide a very secure cloud computing platform.



Fig. 1. Security Services on Different Layers of Cloud Computing [2].

Many cloud applications also request and send location data. This sensitive information of the user also needs to be “cloaked” or hidden. This can be implemented as an “in-device” service [3]. Even though end-to-end security may be available when utilizing cloud computing, the issue of who is responsible for “personal data” is a very important issue. This is discussed in length by Hon *et al.* [4].

Table 1. The features of the two computing models

Features	Client-server model	Cloud computing model
Sharing of information	Upload and download Needs to access a web site	Continuous automatic synchronization
Sharing direction	One direction Lecturer-student Student-lecturer	Multi directions Lecturer-student Student-student Student-lecturer
Type of information size	Limited limited	All type of information Minimum of 2GB

Proc. Of the International Conference on Cloud Computing and eGovernance 2013 – ICCCEG 2013. Edited by Manikandan Ayappan. © Organizers of ICCCEG 2013 [iccceg@iccceg.org]. Published by Association of Scientists, Developers and Faculties, HQ, India. ISBN : 978-81-925233-2-3 || DOI : 10.ASDFOI/925233.001

[4] concludes that an end-to-end accountability approach has to be taken. Where data is not processed then an intermediary role of neither data controller nor processor should also be adopted, like the action of a host.

Cloud computing is particularly suited for distance e-learning. A comparison between the client-server model and the cloud computing model is shown in Table 1 [1] with regard to this. Cloud computing can be offered as “SaaS (Software as a Service) such as data storage, computing power and PaaS (Platform as a Service) such as web development platform.” [1].

Table 2 [5] summarizes the essential requirements of security, privacy, availability, auditing, flexibility, archiving, quality of service and scalability. Table 2 was composed from studying case studies in the domains of Government Applications, Large Scale Computations (Business Intelligence Systems), Financial Services, Healthcare Applications and Online Entertainments.

Table 2. Requirements Summary [5].

	Governmental Applications	Large-Scale Computations	Financial Services	Healthcare Applications	Online Entertainment
Archiving	High	Low/Medium	High	High	Medium
Audit	High	Low	High	High	Low
Availability	Medium/High	Medium	High	High	High
Flexibility	Medium	Low	High	Medium	Low
Privacy	High	Low	High	High	Low
Security	High	Low	High	High	Medium
QoS	Medium	Medium	Medium	Medium	High
Scalability	Medium	High	Medium	Medium	High

Digital Library Applications are discussed in depth in [6]. [7] discusses using cloud computing to implement a distributed geographical information system platform.

Table 3 [8] summarizes the main policy and applications of cloud computing in large-scale organizations.

Table 3. Main Policy and Applications of Cloud Computing in Large-scale Organizations [8].

	Enterprises	Cloud Offerings	Types of Service
Major Foreign Enterprises	Google	Google App Engine Platform for web apps	Delivery and deployment platform (App Engine) and productivity tools (Google Apps). Low-cost hardware, scalable software infrastructure, innovative applications. Easy to build, maintain and scale.
	Microsoft	Online Services Windows/Office Live. Windows Azure Platform	Via internet to build cloud computing platform. Connect the billions of desktop and explore to a strong cloud network. Software + Services strategy: future is a combination of local software and Internet services
	Amazon	Elastic Compute Cloud and Simple Storage Service	Through its Amazon Web Services (AWS) products, offers a pay-as-you-go access to virtual servers and data storage space
	Salesforce	On-line CRM	Based on network,

		services	advocating NO Software.
	HP, Intel, Yahoo	The plan of Cloud computing trial platform	Open source software; integrate the Internet; eliminate data intensive research computing and business computing in a variety of obstacles, promote open collaboration.
	SAP	ERP software based on cloud computing	End-user applications delivered as service, instead of On-premise implementation
Major Domestic Enterprises	Qihoo, Kingsoft, etc.	“Cloud Safety”	Cloud safety via the network of primary End-cloud customer computers to detect the software abnormal actions. The more cloud node users is, the more safety will be.
	Alibaba	Ali-software	E-commerce business based SaaS and PaaS model.
	21vianet	Distributed Resources And CloudEx	Include complete internet host computer CloudEx Computing Service. Cloud security services, data backup for Individuals and enterprises to the Internet
State policy about cloud computing and Main collaborative research institutions	The policy “Pilot Program of Cloud-Computing Service Innovation” demonstrated Beijing’s vision and determination of pushing forward Cloud-Computing in China, in which Beijing, Shanghai, Shenzhen, Hangzhou and Wuxi have been chosen as the first wave pilot cities in the program. IBM in North Carolina and Tokyo’s cloud computing datacenters; IBM Innovation Center in Beijing, China, the establishment of IBM Greater China Cloud Computing Center; Electronics Research Institute and Guangdong Dongguan Songshan Lake Science and Technology Industrial Park in cooperation to invest in cloud computing platform; Ali Baba and Nanjing Municipal Government: E-commerce cloud computing center.		

It should be noted that the idea of cloud computing was proposed jointly back in 2007 by IBM and Google [9].

Smart Mobile Devices [10] can use sensors that make applications context aware, which reduces user input. Mobile Applications can be enhanced with REST (Representative State Transfer) based cloud computing technologies to create applications that exceed the capabilities of traditional mobile devices. Combining these creates the opportunity to develop a completely new paradigm of consumer software applications.

The need for speed can easily be achieved by adopting the platform of cloud computing. This is realized as a parallel multiple pipelined architecture which is shown in Fig. 2 [11].




Fig. 2. Classic Cloud Processing Model. [11]

Recent advances delivered by HTML 5 is now being exploited in implementing efficient mobile cloud computing applications. Some of the features present in HTML 5 are shown in Table 4, below.

Table 4. Contribution of HTML 5 Features in Dealing with Mobile Device's Limitations [12].

HTML5 Features	Energy efficiency, battery life	Bandwidth networking functionality	Processing power, memory	Screen size	Data entry capabilities
2D Vector Graphics (SVG)				√	
2D Programmatic API, HTML <canvas>		√	√		
Graphical effects				√	
Downloadable fonts			√	√	
Video and audio playback			√		
New types of form controls		√	√		√
Touch-based interactions, Vibration API				√	√
Device information, CSS-based adaptation			√	√	√
Bidirectional connections		√	√		
On-line state		√			
Application Cache, Widgets		√			
Page visibility detection			√		
Battery status	√				
Threading			√		

[13] describes three types of cloud computing:

“All functions are provided to users in form of services in clouds, that is X as a service (XaaS). Above the three types of cloud services are Infrastructure as a Service, Platform as a Service and Software as a Service.

Infrastructure as a Service (IaaS): Users will deploy processors, storage systems, network and other fundamental computing resources, and run operating system and applications software according to their own willing.

Platform as a Service (PaaS): Users write the application using programming languages and tools supported by providers, and run it on cloud platform.

Software as a Service (SaaS): Software providers run programs on cloud computing facility, and users use these

programs through a variety of thin client interface by client devices. There are three types of cloud application instances corresponded with three types of services: infrastructure for cloud services, platform for cloud services and application for cloud services.” [13]

With concerns for security ever increasing globally, mobile cloud computing for biometric applications is a rapidly expanding area of application [14]. Fig. 3. shows how important biometric feature vectors may be extracted and processed by parallel cloud computing to increase the speed of execution. This is important in arriving at a near real-time decision in matters of security.




Fig. 3. Example of Mobile Exports Feature Vector and Offloads Recognition Task to the Cloud. [14].

[15] offers a novel and extended cloud computing application architecture which has taken into consideration features provided by both IBM and NIST and extended them. This is shown in Fig. 4.

With the prevalence and adoption of QR codes, it is very important to be able to process these in near real time as possible. [16] offers an approach where the QR code has been used as an image while partitioning and executing the data as a stream through a mobile cloud computing environment. Fig. 5. shows the superior performance in terms of images processed per second if the images are first partitioned and then processed via cloud computing.




Fig. 5. QR-Code Recognition Performance through various Platforms [16].

Mobile Internet Devices (MID) can enhance their limited computational power by offloading computational tasks onto the cloud. Fig. 6, shows cloud computing applied to MID.




Fig. 6. Overall Architecture for CC Applied to MID. [17]

Cloud services can thus provide rich functionalities to MIDs by utilising the powerful internet connectivity of the mobile devices [17].




Fig. 4. Hassan's Cloud Computing Architecture [15].

Downloaded from www.asaf.org.in

It is important to take into account how faults are to be handled. [17] addresses this in cloud computing by the adoption of an autonomous fault manager module. Fig. 7 shows the use of blocks with functionalities of ‘identifier’, ‘detector’ and ‘determiner’ in the autonomous fault manager.




Fig. 7. Architecture for Fault Management [17].

[17] has proposed six essential and key methods to be adopted in the efficient and smooth running of Cloud Computing applications, these are: “ capturing commonality into cloud service, design for adaptability, architecturing thin-client, methods to ensure high QoS, monitoring services, and autonomous fault management.” Adopting this strategy will reduce potential future technical problems.

Libraries are also adopting cloud computing to offer their services. An earlier paper [18] published in 2011 discusses offering medical library services utilizing the cloud. [19] discusses the adoption of cloud computing by small and medium enterprises in the North East of England. Fig. 8, shows the decision making points that need to be considered for the adoption of on-demand computing services.




Fig. 8. Framework for SME Adoption of On-demand Computing Services. [19].

[20] identifies the prime differences between traditional cloud computing and mobile cloud computing. This is shown in Table 5.

Table 5. Connectivity, Device and Service Differences between Fixed-line Cloud and Mobile Cloud [20].

Category	Factor	Traditional cloud computing	Mobile cloud computing
Connectivity	Network access	Continuous fixed line (possibly through local Wi-Fi)	Interrupted wireless depending on MNO coverage, or available ad-hoc Wi-Fi or Bluetooth connections
	Network bandwidth	High and constant	Currently limited, variable dependent on network coverage and user movement speed
	Network latency	Typically ~ 8-35ms from user to DSL/Cable ISP in The Netherlands ~ 2-5ms for fiber optic connections	Currently typically 100ms due to mobile network latency. Will drop to ~10ms with next-generation networks
	Network data plans	Flat-rate	Trend towards data caps (De Vries, 2011), possibly differentiated fees per type of use depending on net neutrality
Devices	Location	Fixed	Variable: on the move or fixed
	Devices used	Desktop computer, laptop computer	Laptop, tablet, smart phone, feature phone etc (Warner and Karman, 2010)
Device properties	Device properties	Standardized input methods, large displays, large resource pool in case of thick clients, scarce resources for thin clients	Currently limited battery life, processing power, storage capacity and memory (Warner and Lu, 2010), varying form factors (including screen size, input methods, design) and OS and web interfaces
	Device sensors	Microphone, camera, light sensor (on laptops)	GPS, camera, microphone, proximity sensor, light sensor, barometer, Navi, microscope, accelerometer
Services	Service scope	Anything from applications to operating systems and enterprise resource planning packages, in general all service that run on business IT infrastructure and platforms	Limited device scope for context, wireless connectivity and processing limitations
	Service focus	Full range of location bound applications e.g. home entertainment, office productivity	Mobile services with a focus on location, information, entertainment and transaction services; business applications and productivity tools; location-aware, proximity and social applications (Chen and Cheng, 2010; Song and Yoon, 2010)

Table 6, highlights the common elements of cloud computing that is applicable to Mobile Cloud Computing resources.

Table 6. Common Elements of Cloud Computing Applied to Mobile Cloud Resources [20].

Common elements of cloud computing (NIST, 2011)	Element in mobile cloud	Description
Virtualization of resources	Yes	Virtual overlay networks on top of mobile devices (Niemgeers and Groot, 2002; Samimi et al., 2006)
Variety of resources	Yes	Processing power, storage, sensors, connectivity (Anathanarayanan and Zats, 2009; Beng, 2009; Elespuru et al., 2009; Marinelli, 2009)
Shared resource	Knowledge gap	Often distinctions between mobile resource sharing (Dodson et al., 2011; Wijnngaert and Bouwman, 2009) and mobile resource pooling (Elespuru et al., 2009)
Scalability (Automatic/dynamic)	Yes	Scaling the number of devices required for processing, storage, sensing or connectivity according to service requirements (Marinelli, 2009)
Service ease and access	Yes	Automated service configuration and delivery (Christensen, 2009) End-user to end-user sharing requests without service provider interaction (Wijnngaert and Bouwman, 2009)
Network enabled	Yes	Via mobile network operator: mobile or wireless (Wi-Fi, Bluetooth) Ad hoc or local connectivity methods (Wi-Fi, Bluetooth)
Service level agreements (SLAs)	Knowledge gap	Perishable mobile resources: battery and connectivity Multiple resource owners with unpredictable usage patterns; may not be able to guarantee QoS
Pay-per-use	Knowledge gap	Compensating individual resource owners Unknown what or how to compensate e.g. data subscription, device or energy expenses, goodwill

Finally Table 7 from [20] shows the essential characteristics that needs to be carefully scrutinized before the migration to cloud services.

Table 7. Essential Characteristics Based on Mobile Cloud Resources [20].

Cloud characteristic	Application to mobile cloud
On-demand self-service	Manual on-device prompts to switch on or discover additional mobile resources (Christensen, 2009; Wijnngaert and Bouwman, 2009) Automatic (M2M) detection of additional available mobile resources (Anathanarayanan and Zats, 2009)
Network access	Sharing and pooling mobile resources via (mobile) network operators Sharing and pooling local mobile device resources via ad hoc connections methods such as Wi-Fi or Bluetooth (Anathanarayanan and Zats, 2009)
Resource pooling	Aggregating mobile devices for collaborative tasks such as computation, sensing and connectivity (Anathanarayanan and Zats, 2009; Beng, 2009; Elespuru et al., 2009; Marinelli, 2009; Satyanarayanan et al., 2009; Want et al., 2008) Pooling of platform resources and resources on mobile devices
Rapid elasticity	Scaling the number and range of mobile devices used for tasks as needed, from personal or local devices (Niemgeers and Groot, 2002) to remote devices accessed via internet (Marinelli, 2009)
Measured service	Compensating individual device owners Compensating a third party for the coordination of multiple mobile device resources No compensation, incentives such as trust or reciprocity in resource sharing (Wijnngaert and Bouwman, 2009)

[21] compares global IT outsourcing with Cloud Computing along with the evolution of traditional IT services. The major findings were that the impact of Cloud computing on IT outsourcing is no doubt significant. Cloud computing represents a fundamental shift in how organizations pay for

and access IT services. It has created new opportunities for IT services providers and the outsourcing vendors will have to modify their strategy to take advantage of this new computing paradigm. Table 6, shows the similarities between IT outsourcing and Cloud Computing.

Table 6. Some Similarities between IT outsourcing and Cloud Computing [21].

IT outsourcing	Cloud computing
Reduce cost using third party vendors	Reduce cost using Cloud-based services
Minimize risk	Minimize risk
Global scale	Global scale
Quick time to market	Quick time to market
Applications delivered by a third party	Applications delivered by Cloud-based services
Control and application management done by third party	Control and application management done by Cloud service provider
Security is a concern as data is handled by third party	Security is a concern as data is stored in the Cloud
Various non-core business services deployment and integration can be done through outsourcing	Cloud services deployment and integration can be done through outsourcing
Dedicated data centers available for data protection and privacy	Private Cloud aims to protect data and privacy
Backup systems, disaster recovery, and high availability are supported	Backup systems, disaster recovery, and high availability are supported
24-hour support and availability	24-hour support and availability

Table 7, also shows some challenges faced in the adoption of Cloud Computing.

Table 7. Some Challenges of Cloud Computing [21].

Security and privacy	There is a lot of concern about the security and privacy of the data. Many CIOs are not comfortable about their data located in a data center in a foreign country	Different countries have different laws related to the protection and privacy of data
Maturity and performance	Many Cloud providers may not be able to provide 24/7 service always. Cloud outages may cause severe damage to the services and any breach of service level agreements will lead to huge potential losses	High availability is a major concern. Hence a reliable service is very much necessary
Compliance and data sovereignty	Cloud service providers need to comply with the requirements that may restrict about hosting services in the data centers in that country. Organizations are subject to audits and oversight which may restrict them from free exchange of data from one country to another	Organizations in many countries have specific requirements and laws about data sovereignty
Lack of standards	True standards for how applications communicate and control applications that are in a vendor's Cloud have not yet been established	Cloud service providers have their own proprietary standards and switching from one cloud service provider to another becomes quite complicated

[22] examines the characteristics of managing records in a cloud computing environment and compares these with existing archiving models, exemplified by the open archival information system (OAIS) reference model. The proposed model to preserve records is shown in Fig. 9.

III. CONCLUSION

This paper has given an overview of the requirements to establish cloud computing. The main model of mobile cloud computing and fixed cloud computing have been covered. Services and their demands and characteristics to ensure a smooth operation over a cloud network have also been discussed. Results have been reported from the literature review. Cloud Computing applications have now rapidly matured and stabilised to offer many services integrated with the mobile communication network.




Fig. 9. Information Flow to Preserve Records in Cloud Computing [22].

REFERENCES

- [1] M.Z. Murah, "Teaching and Learning Cloud Computing", *Procedia - Social and Behavioral Sciences*, 59 (2012), p.157-163. Elsevier Ltd. www.sciencedirect.com doi: 10.1016/j.sbspro.2012.09.260
- [2] N. Fernando, M. Loke and W. Rahayu, "Mobile Cloud Computing: A Survey", *Future Generation Computer Systems*, 29 (2013), p.84-106, Elsevier B.V. www.elsevier.com/locate/fgcs
- [3] A.N. Khan, S.L. Mat Kiah, S.U. Khan and S.A. Madani, "Towards Secure Mobile Cloud Computing: A Survey", *Future Generation Computer Systems*, 29 (2013), p.1278-1299, Elsevier B.V. www.elsevier.com/locate/fgcs
- [4] M.K. Hon, C. Millard and I. Waiden, "Who is Responsible for 'Personal Data' in Cloud Computing? - The Cloud of Unknowing, Part 2", *International Data Privacy Law*, 2012, Vol. 2, No.1, p.3-18. doi:10.1093/idpl/iplr025
- [5] E.M. Hanna, N. Mohamed and J. Al-Jaroodi, "The Cloud: Requirements for a Better Service", 2012 12th IEEE/ACM Int. Symp. On Cluster, Cloud and Grid Computing, p.787-792. DOI 10.1109/CCGrid.2012.93
- [6] H.F. Cervone, "Managing Digital Libraries: The View from 30,000 Feet. An Overview of Virtual and Cloud Computing". *OCLC Systems & Services: International digital library perspectives*, Vol. 26 No. 3, 2010, pp. 162-165. Emerald Group Publishing Limited 1065-075X. www.emeraldinsight.com/1065-075X.htm DOI 10.1108/10650751011073607
- [7] X. Lu, "An Approach to Service and Cloud Computing Oriented Web GIS Application", 2010 Int. Conf. on Internet Technology and Applications, 20-22 Aug. 2010., p.1-4. DOI: [10.1109/ITAPP.2010.5566578](https://doi.org/10.1109/ITAPP.2010.5566578)
- [8] Y. Chen, X. Li and F. Chen, "Overview and Analysis of Cloud Computing Research and Application", 2011 Int. Conf. on E-Business and E-Governance (ICEE), 6-8 May, 2011, Shanghai, China, p. 1-4. ISBN 978-1-4244-8691-5, DOI: [10.1109/ICEBEG.2011.5881819](https://doi.org/10.1109/ICEBEG.2011.5881819).
- [9] B. Wang and H.Y. Xing, "The Application of Cloud Computing in Education Informatization", 2011 Int. Conf. on Comp. Sci. and Service Systems (CSSS), 27-29 June, 2011, Nanjing, China, p.2637-2676. ISBN 978-1-4244-9762-1, DOI: [10.1109/CSSS.2011.5973921](https://doi.org/10.1109/CSSS.2011.5973921).
- [10] J.H. Christensen, "Using RESTful Web-Services and Cloud Computing to Create Next Generation Mobile Applications", In *Proceedings of the 24th ACM SIGPLAN Conference Companion on Object Oriented Programming Systems Languages and Applications (OOPSLA '09)*. ACM, New York, NY, USA, 2009, p.627-634. DOI=10.1145/1639950.1639958 <http://doi.acm.org/10.1145/1639950.1639958>.
- [11] T. Gunarathne, T.L. Wu, J.Y. Choi, S.H. Bae and J. Qiu, "Cloud Computing Paradigms for Pleasingly Parallel Bio medical Applications", *Concurrency and Computation: Practice and Experience*, Vol. 23, Issue 17, p.2338-2354, 10 Dec., 2011. John Wiley and Sons, Ltd. DOI: 10.1002/cpe.1780
- [12] Stelios Xinogalos, Kostas E. Psannis, and Angelo Sifaleras. 2012. Recent advances delivered by HTML 5 in mobile cloud computing applications: a survey. In *Proceedings of the Fifth Balkan Conference in Informatics (BCI '12)*. ACM, New York, NY, USA, 199-204. DOI=10.1145/2371316.2371355 <http://doi.acm.org/10.1145/2371316.2371355>
- [13] W. Ma and J. Zhang, "The Survey and Research on Application of Cloud Computing", 2012 7th Int. Conf. on Computer Science & Education

(ICCSE), 14-17th July, 2012, Melbourne, Victoria, Australia, p.203-206. ISBN 978-1-4673-0241-8, DOI: [10.1109/ICCSE.2012.6295057](https://doi.org/10.1109/ICCSE.2012.6295057)

[14] M. Stojmenovic, "Mobile Cloud Computing for Biometric Applications", 2012 15th Int. Conf. on Network-Based Information Systems (NBIS), 26-28 Sept., 2012, Melbourne, Victoria, Australia, p.654-659, ISBN 978-1-4673-2331-4. DOI: [10.1109/NBIS.2012.147](https://doi.org/10.1109/NBIS.2012.147)

[15] S.A.Z. Hassan, "STAR: A Proposed Architecture for Cloud Computing Applications", 2012 Int. Conf. on Cloud Computing Technologies, Application and Management (ICCTAM), 8-10 Dec., 2012, p.186-192. ISBN: 978-1-4673-4415-9, DOI: [10.1109/ICCTAM.2012.6488095](https://doi.org/10.1109/ICCTAM.2012.6488095)

[16] Lei Yang, Jiannong Cao, Yin Yuan, Tao Li, Andy Han, and Alvin Chan. 2013. A framework for partitioning and execution of data stream applications in mobile cloud computing. *SIGMETRICS Perform. Eval. Rev.* 40, 4 (Apr 2013), 23-32. DOI=10.1145/2479942.2479946 <http://doi.acm.org/10.1145/2479942.2479946>

[17] Hyun Jung La, Sang Hun Oh, and Soo Dong Kim. 2010. Methods to utilizing cloud computing in developing mobile internet device (MID) applications. In *Proceedings of the 4th International Conference on Ubiquitous Information Management and Communication (ICUIMC '10)*. ACM, New York, NY, USA, Article 31, 9 pages. DOI=10.1145/2108616.2108654

<http://doi.acm.org/10.1145/2108616.2108654>

[18] J. Dale Prince (2011): Introduction to Cloud Computing, *Journal of Electronic Resources in Medical Libraries*, 8:4, 44-49-458. <http://dx.doi.org/10.1080/15424065.2011.626360>

[19] Y. Alshamaila and S. Papagiannidis, "Cloud Computing Adoption by SMEs in the North East of England", *Journal of Enterprise Information Management*, Vol. 26 No. 3, 2013, pp. 250-275. Emerald Group Publishing Limited, 1741-0398. DOI 10.1108/17410391311325225

[20] Soebhaash Dihal, Harry Bouwman, Mark de Reuver, Martijn Warnier, Christer Carlsson, (2013) "Mobile cloud computing: state of the art and outlook", *info*, Vol. 15 Iss: 1, pp.4-16, Emerald Group Publishing Limited. DOI: 10.1108/14636691311296174

[21] S. Dhar, "From Outsourcing to Cloud Computing: Evolution of IT Services", *Management Research Review*, Vol. 35 No. 8, 2012, pp. 664-675, Emerald Group Publishing Limited 2040-8269. DOI 10.1108/01409171211247677

[22] J. Ashkoj, S. Sugimoto and M. Nagamori, "Preserving Records in the Cloud", *Records Management Journal*, Vol. 21 No. 3, 2011, pp. 175-187. Emerald Group Publishing Limited 0956-5698. DOI 10.1108/09565691111186858



Maaruf Ali obtained his education in London, England. His first degree was in Telecommunications from Queen Mary, University of London in Telecommunications. He then pursued his doctoral studies from King's College London, University of London where he obtained his PhD in Electrical and

Electronic Engineering in the field of Image Coding in 1997. During his doctoral studies he also worked as a Research Assistant in Worcester Polytechnic Institute funded by the National Science Foundation of America and with McDonnell Douglas Missile Systems Company Inc. (now merged with Boeing).

After his doctorate he took up his teaching post at leading British Universities such as the Royal Military College of Science (now the Defence Academy of the UK) Cranfield University and Oxford Brookes University, spending 14 years in academia. He also spent one year in industry teaching mobile communications to the leading mobile companies such as Vodafone.

Currently he is an Assistant Professor in the University of Ha'il, Kingdom of Saudi Arabia and acting Vice Dean for Research for the College of Computer Science and Software Engineering. He is also a Chartered Engineer and a Senior Member of the IEEE. He is also a member of ACM, IET,

BCS, ASEE. He has over sixty publications and also serves as a reviewer for several journals such as the IET Electronic Letters.

Maaruf is active in the various international IEEE conferences related to Telecommunications as a technical programme committee member. His research interests include image coding, location based services and applications and mobile communications. Maaruf had also taken an active role in the UK&RI IEEE Communications Society becoming the Treasurer and with the IET Electronics, Computing, Communications and Control Specialist Branch becoming the Chairman. Maaruf is also a Fellow of the Higher Education Authority of the UK and a Fellow of ASDF.



Mahdi H. Mirza is a Lecturer in the Department of Computer Science & Software Engineering, University of Hail, KSA and a PhD Researcher at the Department of Computing, Glyndwr University, UK. He is also serving as Deputy Director of the Centre for Research on Applied Technology, Entrepreneurship and Development

(CRATED).

Mahdi completed his BSc (Hons) in Computer Networks and MSc in Computer Networking both from the School of Computing and Communication Technology, Glyndwr University, UK. He is an ex-cadet of Cadet College, Bangladesh where he completed his secondary and higher secondary education. In the Higher Secondary Certificate (HSC) examination, he was placed 12th in the combined merit list and achieved the Education Board Scholarship.

He is a Cisco Network Academy Program (CCNA) graduate. He is also a former GO Wales (AWelsh Assembly Government Placement Scheme) intern as Network Support Engineer at MCW Group Ltd, UK.

He was selected as an MSP (Microsoft Student Partner) and Volunteered for the Microsoft UK Academic Team at the Glyndwr University Campus from June 2008 to May 2009. He is a full professional member (MBCS) of the British Computer Society and also served as an YPG (Young Professional Group) Representative of its Chester and North Wales Branch Committee for three years. He is also a professional Member (MIEEE) of the Institute of Electrical & Electronics Engineering (IEEE), professional Member of the International Association of Computer Science & Information Technology (IACSIT), professional Member (MIAENG) of the International Association of Engineers (IAENG), Research Member of the Centre for Creative and Applied Research for the Digital Society (CARDS), Glyndwr University, UK and a Member of the steering committee of the Computer Science and Engineering Research Centre, University of Hail, KSA.

He also worked as the Education Officer of the Glyndwr Students' Guild while studying at Glyndwr University. He worked as a Mentor for the "Reaching Higher Reaching

Wider” project under the Community University of North Wales, UK.

His research interests are in Networking Technologies, Human-Computer Interaction (HCI), Usability, Universal Usability and Cross-cultural Usability & IS (Information System) issues.

Downloaded from www.asdf.org.in