



ISBN	978-81-929866-6-1
Website	icsscet.org
Received	25 – February – 2016
Article ID	ICSSCCET037

VOL	02
eMail	icsscet@asdf.res.in
Accepted	10 - March – 2016
eAID	ICSSCCET.2016.037

Finite Element Analysis of Automotive Chassis with Various Cross-Section

Vijayan S N¹, S Karthik², K Maharaja³

Assistant Professor, ^{1,2,3}Department of Mechanical Engineering, Karpagam Institute of Technology, Coimbatore, India

Abstract – The automotive chassis serves as a frame work for supporting the body and different parts of the automobile. Also, it has to withstand the shock, twist, vibration and other stresses caused due to sudden breaking, acceleration, shocking road condition, centrifugal force while cornering and forces induced by its components. The chassis acts as the backbone of a heavy vehicle which carries the maximum load for all designed operating conditions. This paper describes design and analysis of heavy vehicle chassis as the prime objective of any automobile industries in today's fast changing world. In the present paper, the pertinent information of an existing heavy vehicle chassis of EICHER is taken for modeling and analysis by considering cross-sections like C, I and Box type subjected to the identical load as that of a steel chassis. The numerical results are validated with analytical calculation considering the stress distribution and deformation.

Keywords – Chassis, Stress, Deformation, Load, Ansys

I. INTRODUCTION

Automotive chassis is a skeletal frame on which mechanical parts like engine, axle assemblies, brakes, steering etc, are fastened. Automotive chassis or automobile chassis helps to keep an automobile rigid, stiff and unbending. Chassis ensures low levels of noise, vibrations and harshness throughout the automobile. The chassis is considered to be the most significant component of an automobile. It is the most crucial element that gives strength and stability to the vehicle under different conditions. The backbone of any automobile, it is the supporting frame to which the body of an engine, axle assemblies are affixed. Tie bars, that are essential parts of automotive frames, are fasteners that bind different auto parts together. Automotive frames are basically manufactured from steel. It is usually made of a steel frame, which holds the body and engine of an automotive vehicle. It provides strength needed for supporting vehicular components and payload placed upon it. At the time of manufacturing, the body of a vehicle is flexibly molded according to the structure of chassis. It provides strength needed for supporting vehicular components and payload placed upon it. Automobile chassis is usually made of light sheet metal or composite plastics. This paper describes the design and analysis of heavy vehicle chassis considering weight reduction as the prime objective of any automobile industries in today's fast changing world. In the present work, the pertinent information of an existing heavy vehicle chassis of EICHER is taken for design and analysis with different cross sections for steel. The model of steel heavy vehicle chassis was created in Pro-E and analysed with ANSYS for same load conditions. After analysis a comparison is made between various cross section in terms of deflections and stresses, to select the best one.

II. Literature Survey

Considering C, I and Box type cross sections, is analyzed by employing a polymeric composite heavy vehicle chassis for the same load carrying capacity, with a reduction in weight of 73% to 80% [1]. The determination of the stresses in a truck chassis before

This paper is prepared exclusively for International Conference on Systems, Science, Control, Communication, Engineering and Technology 2016 [ICSSCCET 2016] which is published by ASDF International, Registered in London, United Kingdom under the directions of the Editor-in-Chief Dr T Ramachandran and Editors Dr. Daniel James, Dr. Kokula Krishna Hari Kunasekaran and Dr. Saikishore Elangovan. Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage, and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honoured. For all other uses, contact the owner/author(s). Copyright Holder can be reached at copy@asdf.international for distribution.

2016 © Reserved by Association of Scientists, Developers and Faculties [www.ASDF.international]

Cite this article as: Vijayan S N, S Karthik, K Maharaja. "Finite Element Analysis of Automotive Chassis with Various Cross-Section". *International Conference on Systems, Science, Control, Communication, Engineering and Technology 2016*: 201-205. Print.

manufacturing is important due to the design improvement and it is investigated [2]. Analytical investigation of the truck chassis design and the weight optimization was done by sensitivity analysis. In sensitivity analysis different cross sections were used for stress analysis and achieved 17% of weight reduction in the truck chassis [3]. The stress analysis of chassis using finite element analysis was performed using ANSYS. The same finite element model can be used for the fatigue analysis of the chassis [4]. Investigation of the structural analysis and optimization of vehicle chassis with constraints of maximum shear stress and deflection of chassis under maximum load was performed [5].

The analysis using finite element techniques, weight of chassis frame can be optimized and it is feasible to analyse the modified chassis frame before manufacturing [6]. The model for vehicle that considers the elastic characteristic of frame was applied to the rear frame of articulated dump truck, it was confirmed that this analysis can be used to predict the bending and torsion stresses of frames [7]. The automotive chassis was optimized with constraints of maximum shear stress, equivalent stress and deflection of chassis under maximum load, also a sensitivity analysis is carried out for weight reduction [8]. The mathematical stress analysis of a platform integrated structure mounted on vehicle chassis designed for unconventional type of loading pattern was described [9]. The fatigue study and life prediction on the chassis in order to verify the safety of this chassis during its operation using Finite Element Method (FEM) was discussed in detail [10]. The modifications of existing bracket have resulted in reduction of stress values leading to safe design was investigated [11].

The structural analysis of the chassis frame is performed to check the vulnerable points having high magnitude stress at static load condition [12]. A detailed review was presented on the chassis design using FEA [13]. The stress analysis of heavy duty truck chassis was investigated for fatigue study and life prediction of components to determine the critical point having high stress [14,15]. The static and dynamic load characteristics using Finite Element models are performed [16]. The analysis of chassis frame was done to improve its payload by adding stiffener at maximum stress region of chassis [17]. The effective method for dynamic stress analysis of structural components of bus systems is detailed [18]. To determine the characteristics of a chassis using ANSYS and reinforcement technique of optimization is carried out [19].

The static and dynamic load characteristics of chassis were investigated using Finite Element Analysis method [20]. The structural analysis of chassis was investigated by replacing traditional materials with ultra light weight carbon fiber materials [21].

III. Specification of Existing Heavy Vehicle Chassis

The specification of an EICHER 10.9 vehicle is exposed in the Table 1 the capacity of truck is 78480N, total load acting on the chassis including truck capacity, weight of the body and engine is 117720N. The load acting on each beam is half of the total load acting on the chassis hence load acting on single beam is 58860N

$$\text{Stress } \sigma = M_{\max} / Z_{xx} \dots\dots\dots(1)$$

$$Y = wx(b-x) / 24EI [x(b-x) + b^2 - 2(c^2 + a^2) - 2/b \{c^2 x + a^2(b-x)\}] \dots\dots\dots(2)$$

Table 1: Specifications of Heavy Vehicle Chassis

PARAMETERS	VALUE
Material of the chassis	Steel 52
Chemical composition	0.20%C, 0.50%Si, 0.9%Mn, 0.03%P and 0.025%S
Side bar of the chassis	200mm x 76 mm x 6mm
Cross bar of the chassis	180mm x 75 mm x 4mm
Front Overhang (a)	935 mm
Wheel Base (b)	3800 mm
Rear Overhang (c)	1620 mm
Young's modulus E	$2 \times 10^5 \text{ N/mm}^2$
Poisson Ratio	0.3
Radius of Gyration R	100 mm

IV. Structural Analysis of Heavy Vehicle Chassis

Dimensions of polymeric composite heavy vehicle chassis (PCHVC) are taken as that of the conventional steel heavy vehicle chassis (SHVC). Width of the chassis is 80mm. Since the properties of PCHVC vary with directions of fiber, a 3-D model of chassis is needed for analysis. The loading conditions are assumed to be static. The element has six degrees of freedom at each node translations in the nodal x, y, and z directions and rotations about the nodal x, y, and z-axes. The finite element analysis is carried out on steel chassis as well as different types of polymeric composite heavy vehicle chassis. From the analysis the stress distribution (Von-mises stress) and deformations were carried out. The total load of chassis of magnitude 58860N is applied on each side of beam and the gravitational force of 9806.6N is also considered.

Cite this article as: Vijayan S N, S Karthik, K Maharaja. "Finite Element Analysis of Automotive Chassis with Various Cross-Section". *International Conference on Systems, Science, Control, Communication, Engineering and Technology 2016*: 201-205. Print.

V. Results and Discussion

Deformation Plot of C Cross Section




Figure 1. Deformation pattern for C cross section




Figure 2. Stress distribution for C cross section

Deformation Plot of I Cross Section




Figure 3. Deformation pattern for I cross section




Figure 4. Stress distribution for I cross section

Fig 1 and 2 illustrates the deformation and stress distribution pattern for the C-channel cross section. The deformation and stress distribution pattern for the I- Cross section is depicted in the Fig 3 & 4. The deformation and stress distribution pattern for the Box-Cross section is depicted in the Fig 5 and 6.

Deformation Plot of Box Cross Section




Figure 5. Deformation pattern for Box cross section




Figure 6. Stress distribution for Box cross section

Cite this article as: Vijayan S N, S Karthik, K Maharaja. "Finite Element Analysis of Automotive Chassis with Various Cross-Section". *International Conference on Systems, Science, Control, Communication, Engineering and Technology 2016*: 201-205. Print.

The analytical results of stress distribution and deformation computed using equation 1 and 2 tabulated in the Table 2. Table 2 shows the stress distribution and deformation values for various cross sections are compared with the analytical values. It can be inferred from the tabulation that the magnitudes of the deformation and stress are very closer to analytical results in comparison with the numerical results.

Table 2 Deformation and stress distribution values

Cross Section	Material Type	Stress DISTRIBUTION		Deformation (mm)	
		Numerical	Analytical	Numerical	Analytical
C	Steel	230.58	235.0789	3.1272	3.214
I	Steel	135.53	133.64	2.2570	2.349
BOX	Steel	154.93	155.06	2.7396	2.833

When compared with C and Box cross sections the I cross section induces very low stress and deformation. I-Cross section provides low deformation and stress distribution when compared to other cross sections like C and Box.

VI. Conclusion

The existing heavy vehicle chassis of EICHER is considered for design and analysis with different cross sections. The model of the chassis was created in Pro-E and analysed with ANSYS for same load conditions. After analysis a comparison is made between different cross section of existing conventional steel chassis in terms of deformation and stresses, to select the best one. The results of the steel with cross section C, I, and Box are performed. Based on the results it was inferred that steel with 'I' section has superior strength to withstand high load and induced low deformation and stress distribution when compared to other cross section.

References

1. Ravi Chandra, M., Sreenivasulu, S. and Syed Altaf Hussain. 2012. Modeling and Structural analysis of heavy vehicle chassis made of polymeric composite material by three different cross sections: International Journal of Modern Engineering Research. Vol. 2. Issue. 4. pp. 2594-2600.
2. Hemant, B., Patil, Sharad, D., Kachave, Eknath, R. and Deore. 2013. Stress Analysis of Automotive Chassis with Various Thicknesses: IOSR Journal of Mechanical and Civil Engineering. Vol. 6. Issue. 1. PP. 44-49.
3. Hirak Patel, Khushbu, C., Panchal, Chetan S. and Jadav. 2013. Structural Analysis of Truck Chassis Frame and Design Optimization for Weight Reduction: International Journal of Engineering and Advanced Technology. Vol. 2. Issue. 4.
4. Ashutosh Dubey and Vivek Dwivedi. 2003. Vehicle Chassis Analysis: Load Cases and Boundary Conditions for Stress Analysis.
5. Abhishek Singh, Vishal Soni and Aditya Singh. 2014. Structural Analysis of Ladder Chassis for Higher Strength: International Journal of Emerging Technology and Advanced Engineering, Vol. 4. Issue. 2.
6. Anand Gosavi, Ashish Kumar Shrivastava and Ashish Kumar Sinha. 2014. Structural analysis of six axle trailer frame design and modification for weight reduction: International Journal of Emerging Technology and Advanced Engineering. Vol. 4. Issue. 1.
7. Haval Kamal Asker, Thaker Salih Dawoodl and Arkan Fawzi Said. 2012. Stress analysis of standard truck chassis during Ramping on block using finite element method: ARPN Journal of Engineering and Applied Sciences. Vol. 7. No. 6.
8. Monika, S., Agrawal, Razik, Md. 2013. Finite Element Analysis of Truck Chassis: International Journal of Engineering Sciences & Research Technology. Agrawal. 2(12).
9. Deulgaonkar, V. R., Dr. Matani, A. G. and Dr. Kallurkar, S. P. 2012. Advanced Mathematical Analysis of Chassis Integrated Platform Designed for Unconventional loading by using simple technique for static load: International Journal of Engineering and Innovative Technology. Vol. 1. Issue. 3.
10. Kurdi, O., Abd- Rahman, R. and Tamin, M. N. 2008. Stress Analysis of Heavy Duty Truck Chassis Using Finite Element Method.
11. Balbirsingh, R., Guron, Dr. Bhope, D.V. and Prof. Yenarkar, Y. L. 2013. Finite Element Analysis of Cross Member Bracket of Truck Chassis: IOSR Journal of Engineering. Vol. 3, Issue. 3. PP. 10-16.
12. Paul, I. D., Sarange, S. M., Bhole, G. P., and Chaudhari, J. R. 2012. Structural Analysis Of Truck Chassis Using Finite Element Method: International J. of Multidiscipl. Research and Advcs. in Engg. Vol. 4. No. 1. pp. 85-98. [16] Paul, I. D., Sarange, S. M., Bhole, G. P., and Chaudhari, J. R. 2012. Structural Analysis Of Truck Chassis Using Finite Element Method: International J. of Multidiscipl. Research and Advcs. in Engg. Vol. 4. No. 1. pp. 85-98.
13. Harshad, K., Patel, Prof. Tushar, M. and Patel. 2013. Structural Optimization Using FEA-DOE Hybrid Modeling –A Review: International Journal of Emerging Technology and Advanced Engineering. Vol. 3. Issue. 1.
14. Roslan Abd Rahman, Mohd Nasir Tamin and Ojo Kurdi. 2008. Stress Analysis Of Heavy Duty Truck Chassis As A Preliminary Data For Its Fatigue Life Prediction Using Fem: Jurnal Mekanika. No. 26. PP. 76 – 85.

Cite this article as: Vijayan S N, S Karthik, K Maharaja. "Finite Element Analysis of Automotive Chassis with Various Cross-Section". *International Conference on Systems, Science, Control, Communication, Engineering and Technology 2016*: 201-205. Print.

15. Goolla Murali, Subramanyam, B. and Dulam Naveen.2013. Design Improvement of a Truck Chassis based on Thickness: Altair Technology Conference. India.
16. Rajappan, R. and Vivekanandhan, M.2013. Static and Modal Analysis of Chassis by Using FEA: The International Journal Of Engineering And Science. Vol. 2. Issue. 2. Pp. 63-73.
17. Sairam Kotari, Gopinath, V.1998. Static and Dynamic Analysis on Tatra Chassis: International Journal of Modern Engineering Research. Vol. 2. Issue. 1. Pp. 086-094.
18. Kim, H. S., Hwang, Y. S. and Yoon, H. S.2010. Dynamic Stress Analysis of a Bus System: Commercial Vehicle Engineering & Research Center. Hyundai Motor Company. 772-1, Changduk. Namyang. Whasung. Kyunggi-Do. Korea.
19. Sandip Godse and Prof. Patel, D.A.2013. Static Load Analysis of Tata Ace Ex Chassis And Stress Optimisation Using Reinforcement Technique: International Journal of Engineering Trends and Technology. Vol. 4. Issue. 7.
20. Rajappan, R. and Vivekanandhan, M.2013. Static and Model Analysis of Chassis By Using FEA: Proceedings of the National Conference on Emerging Trends In Mechanical Engineering.
21. Salvi Gauri Sanjay, Kulkarni Abhijeet, Gandhi Pratik Pradeep and Baskar, P.2014. Finite Element Analysis of Fire Truck Chassis for Steel and Carbon Fiber Materials: Journal of Engineering Research and Applications. Vol. 4. Issue. 7. Version. 2. PP. 69-74.